Update Around Your Application

Inbox

Eaton TalentHub Mon, Mar 3, 12:03 PM (22 hours ago)

to
me

Dear Fiston,

Thank you for applying for the position of Statutory and Tax Analyst - 36199. We appreciate the opportunity to consider you for employment with Eaton.

This communication is to let you know that this job has been filled. We invite you to visit www.eaton.com/careers and apply to other opportunities that match your current career aspirations. Thank you for your continued interest in Eaton.

Best regards,

FW: Form Submission: ZA UPS Service Level Agreement - Eaton

Inbox

Pursad, Sundesh <SundeshPursad@eaton.com>

Mon, Mar 3, 12:57 PM (21 hours ago)

to
me

Good day Tshingombe

Thank you for your web enquiry below. Please advised when it will be convenient for me to setup a meeting with you to discuss this proposal further

Regards,

Sun Desh Pursad
PQ Business Development

Eaton Electric (South Africa) (Pty) Ltd

Direct: +27 11 874 4392

Mobile: +27 82 880 0903

www.eaton.com

Eaton Electric SA (Pty) Ltd Terms and Conditions apply

The information in this message is proprietary and/or confidential and is intended only for the use of the individual(s) named above. This message should not be forwarded without permission from the author. If this message is received in error or otherwise by someone other than the addressee, please contact the author of the above number and return the message or destroy it.

Please consider the environment before printing this message.

From: Form Submittal Notification <formsubmittal@eloqua.com>
Sent: Sunday, February 23, 2025 10:49 AM
To: DeJongh, Johan <JohanDeJongh@Eaton.com>
Subject: Form Submission: ZA UPS Service Level Agreement - Eaton

Powering Business Worldwide

Eloqua Notification System

Your personal notification of activity on your website. Target prospects, identify visitors, and develop sales relationships with your online visitors.

First Name
tshingombe

Last Name
tshitadi

Email Address
tshingombefiston@gmail.com

Company
tshingombe

Pages Viewed
0

Submit Time
2/23/2025 3:49:09 AM

Form Name
2022_ES_EMEA_ZA_UPS_SLA_web_configurator

URL Of Form
https://www.eaton.com/

Data Provided in Form

Do you need emergency response (either 8/5 or 24/7)?
Yes

Would you like to minimise your OPEX expenses by including travel and labour costs in the contract?
Yes

Would you like to include all spare parts expenses in the contract?
Yes

Cyber Secured Monitoring - including 24/7 monitoring, remote diagnostic, periodical health reports
Yes

Email Address
tshingombefiston@gmail.com

First Name
tshingombe

Last Name
tshitadi

Company
tshingombe

Country
South Africa

Business Phone
+27072529846

Zip or Postal Code

UPS type
BladeUPS

kVA
36

UPS Serial no
30

Service Plan
PREMIUM

Indicative Plan
1918

Option1

Option2

Option3

Option4

Supplement1
1 PMs/year

Supplement2
Working hours

Supplement3

8/5 working days

Supplement4
8 Hours

Check the box if you want to be contacted by Eaton Sales to receive a tailored offer

Please contact me via phone

Please contact me via email

Form Language - Hidden
EN-GB

tag_country
ZA

tag_market

tag_topic

tag_location
ZA

tag_call to action

Redirect
https://www.eaton.com/content/dam/eaton/interactive/events/ups-service-agreements-web-configurator-za-en-gb/landb/pages/thank-you.html

Source

Optin
yes

C360
Yes

Description
UPS SLA Web Configurator

Web ContentID

Tag - Product

Tag - Business Group

Tag - Stage

Percolate Asset ID

?

Copyright © 2025, Oracle and/or its affiliates.

All rights reserved.

Product Selector Tool

This tool is designed to assist you through the product selection process.

Try our Product Selector

Content Training Installed Base Programs

Overview Product Configurators MCC

Select your location

Tshingombe fiston

Variable Speed Drive

EcoStruxure™ Motor Control Configurator

1.

- Voltage480 V
- Motor details132 kW
- ApplicationStandard Machines
- AdjustDone
- OptionsDone

6.

Save & ShareDone

My Configuration
Technology: variable speed drive

Supply Voltage: 480 V

Standard: IEC (kW)

Motor power: 132 kW

Segment and process: Machine Manufacturing

Application: Standard Machines

Service duty: Heavy duty

Range: 63124

Communication module: Modbus SL

Installation type: wall mounted

Protection level: IP21

With braking unit: yes

With trip unit: yes

Breaking capacity: 50 kA

Coil Type: without coil

Breaker

C40H31M320

Circuit breaker, ComPacT NSX400H, 70kA/415VAC, 3 poles, MicroLogic 1.3M trip unit 320A

Contactor

LC1F265

Contactor body,TeSys F,3P(3NO)-AC-3, <=440V 265A without coil

Drive

ATV930C16N4

variable speed drive, Altivar Process ATV900, ATV930, 160kW, 380 to 480V, with braking unit, IP20

My Configuration

ZA

Add to My Products

Technology: variable speed drive

Supply Voltage: 480 V

Standard: IEC (kW)

Motor power: 132 kW

Segment and process: Machine Manufacturing

Application: Standard Machines

Service duty: Heavy duty

Range: 63124

Communication module: Modbus SL

Installation type: wall mounted

Protection level: IP21

With braking unit: yes

With trip unit: yes

Breaking capacity: 50 kA

Coil Type: without coil

Breaker

C40H31M320

Circuit breaker, ComPacT NSX400H, 70kA/415VAC, 3 poles, MicroLogic 1.3M trip unit 320A

Contactor

LC1F265

Contactor body,TeSys F,3P(3NO)-AC-3, <=440V 265A without coil

Drive

ATV930C16N4

variable speed drive, Altivar Process ATV900, ATV930, 160kW, 380 to 480V, with braking unit, IP20

Your configuration has been saved!

Copy the configuration ID to your clipboard

eb85e74b-ff01-4d62-ac3b-06e0980ddbb1

This data is to be considered with assemption

Export (2)

Print

Export Bill of Material (.xls)

.xls

Documentation (6)

Product Data Sheet

.zip

CAD files

.zip

Instruction sheet

.zip

User guide

.zip

Certificate

.zip

Catalog

.zip

Feedback

- mySchneider Terms of Use
- Privacy Policy
- Cookie Notice
- Change your cookie settings

©2025, Schneider Electric

mySchneider

Exciting News: We Are Moving Office!

Inbox

Schneider Electric 9:01 AM (1 hour ago)

to
me

What you need to know >View Online

We Are Moving Office!

Dear Partners & Customers,

We are thrilled to announce that Schneider Electric is relocating to our new office at **1 Tugela Lane, Waterfall Campus, Waterfall Precinct**, on April 7th, 2025. Our new space is designed to enhance productivity and inspire new ideas, showcasing our cutting-edge technologies in sustainability, efficiency, and digitization.

We have considered how the move may impact our customers and partners. Please **follow the link below** to learn more about the essential information you may require for operational purposes.

Best regards,
Devan Pillay
Cluster President: Schneider Electric, Anglophone Africa

Learn more

+ Lifecycle

Services

From energy and sustainability consulting to optimizing the life cycle of your assets, we have services to meet your business needs.

Schneider Electric South Africa
No 9 Old Pretoria Main Road, Midrand, Gauteng, South Africa
Phone +27 11 254 6400
Fax +27 11 254 6700 / 6704
Email za-ccc@se.com

1-Click Unsubscribe | Privacy Policy

© 2024 Schneider Electric. All Rights Reserved. Schneider Electric is a trademark and the property of Schneider Electric SE, its subsidiaries and affiliated companies. All other trademarks are the property of their respective owners.

Schneider Electric South Africa (Pty) Ltd
Reg. No. 1971/002841/07
Vat No. 4370101109
9 Old Pretoria Road,
Halfway House, Midrand
Private Bag X139, Halfway House
1685, South Africa
Tel. +27 (0) 11 254 6400 - Fax. +27 (0) 11 254 6640
http://www.schneider-electric.com/za
Internal

21 February 2025

Dear Partners & Customers

Exciting News: We Are Moving Office!

We are thrilled to share an exciting milestone in our journey—Schneider Electric is relocating to our new office, located at **1 Tugela Lane, Waterfall Campus, Waterfall Precinct**, on the 7th of April 2025!

Our new space has been designed to support our teams better, enhance productivity, and create an environment that inspires new ideas and solutions. This building shall showcase our cutting edge technologies supporting Sustainability, Efficiency, and Digitisation.

To minimise business disruption, we will officially shut down our current offices on Friday, 14th

March 2025, and be fully operational on Monday, 7th April 2025, at our new offices. Rest assured,
we will endeavor to ensure that this transition is seamless and that there will be no disruption to
our operations, services, or support. Our teams remain fully accessible, and all existing
communication channels remain unchanged.

A few points to note:

1. New address from 7 th April 2025: 1 Tugela Lane, Waterfall Campus, Waterfall Precinct.

2. Customer Care Centre: for all customer enquiries, please connect with us through the
channels below:

- Call (RSA): 086 130 0222 or Call (Intl.): +27 (0) 11 230 5880
- Email: za-ccc@se.com

3. Order Bookings: The move will not impact order bookings. All your orders will be
accepted and booked on time. Our Customer Care Centre will remain operational to support you at regular working hours without any impact from the move process.

4. Drives Assessment and Services Workshop:

- Due to the physical move, Drives Assessment and Services workshop will cease operations on 10th March 2025. These functions will be fully operational by 17th March 2025.

5. Warehouse and Deliveries status:

- The main Pomona Distribution Centre remains operational and will continue to serve customers without interruption.
- The Midrand Schneider Electric Campus assembly line will be part of this move.

Schneider Electric South Africa (Pty) Ltd
Reg. No. 1971/002841/07
Vat No. 4370101109
9 Old Pretoria Road,
Halfway House, Midrand
Private Bag X139, Halfway House
1685, South Africa
Tel. +27 (0) 11 254 6400 - Fax. +27 (0) 11 254 6640
http://www.schneider-electric.com/za
Internal

- **RM6**: The last RM6 delivery request will be Wednesday, 12th March 2025, and the final delivery will be Friday, 14th March 2025.
- Operations on the RM6 line will continue at the new site on 24th March 2025.
- **ACB and compact NS**: The last delivery request will be on Tuesday, 18th March 2025, and the final delivery will be on Thursday, 20th March 2025.
- Operations on the ACB line will continue at the new site on Friday, 28th March 2025.
- **NSX and CVS**: The last delivery request will be Thursday, 20th March 2025, and the
final delivery will be Thursday, 27th March 2025.
- Operations on the MCCB line will continue at the new site on Monday, 31st March 2025.

Our supply chain teams are working to ensure that all your deliveries scheduled during the move
are ready to be delivered before the closing date. For any urgent or priority deliveries, please
contact your respective account manager or the Customer Care Centre.

We look forward to welcoming you to our new office soon and continuing our successful
collaboration. Thank you for your ongoing trust and partnership—we’re excited about what’s
ahead!
Best regards,
Devan Pillay
Cluster President: Anglophone Africa

ill of Material - My Configuration - 7f32bf21-c42c-4b18-a1fb-9df4f028322e - Schneider Electric

No reply <iac.noreply@verified.se.com> Wed, Mar 5, 2025 at 9:57 AM

Reply-To: tshingombefiston@gmail.com

To: tshingombefiston@gmail.com

Dear Tshingombe fiston,

Please find your configuration My Configuration created with the Modicon PLC Configurator application.

Your configuration ID: **7f32bf21-c42c-4b18-a1fb-9df4f028322e**

Bill of Material

Bom level	Position	Reference	Description	Quantity
My Configuration	1	BMEH582040	redundant processor, Modicon M580, 8MB, 61 Ethernet devices, 8 local racks, 8 remote IO racks	2
My Configuration	2	BMXCPS2010	power supply module, Modicon X80, 24V DC, 16.8W	2
My Configuration	3	BMXXTSCPS10	connector kit, Modicon M340, 2 removable connectors, cage clamp, for power supply module	2
My Configuration	4	BMXXTSCPS20	connector kit, Modicon M340, 2 removable connectors, spring type, for power supply module	2

My Configuration	5	BMEXBP0800	rack, Modicon X80, 8 slots, Ethernet backplane	2

Bill of Material - My Configuration - eb85e74b-ff01-4d62-ac3b-06e0980ddbb1 - Schneider Electric

Inbox

tshingombe <iac.noreply@verified.se.com> 10:08 AM (20 minutes ago)

to me

Dear tshingombe,

Please find your configuration created from: EcoStruxure™ Motor Control Configurator
Configuration link: **My Configuration**

Your configuration ID: **eb85e74b-ff01-4d62-ac3b-06e0980ddbb1**

Motor Starter parameters selected

Technology: Variable Speed Drive
Standard: IEC
Supply Voltage: 480 V V
Motor Power: 132 kW
Segment and Process: Machine Manufacturing
Application: Standard machines
Heavy Duty selection: no
Breaker

Breaking capacity: 50 kA

With trip unit: yes

Contactor

Coil voltage: n/a

Coil Type: without coil

Drive

Installation type: wall mounted

With braking unit: yes

Protection level: IP21

Bill of Material

Devices	Options	Description	Quantity:
Breaker			
M320	C40H31	Circuit breaker, ComPacT NSX400H, 70kA/415VAC, 3 poles, MicroLogic 1.3M trip unit 320A	1
	LV432513		
		Spareparts	1
Contactor			
	LC1F265	Contactor body,TeSys F,3P(3NO)-AC-3, <=440V 265A without coil	1
	LA5FH431		
		Spareparts	1
Drive			
16N4	ATV930C	variable speed drive, Altivar Process ATV900, ATV930, 160kW, 380 to 480V, with braking unit, IP20	1

Need help ? Contact the Customer Support.


EcoStruxure™ Motor Control Configurator
Build your complete motor control solution in 3 easy steps.
Learn more
Life Is On

Bill of Material - My Configuration - 49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c - Schneider Electric

Inbox

tshingombe <iac.noreply@verified.se.com>

10:13 AM (16 minutes ago)

to
me

Dear tshingombe,

Please find your configuration created from: EcoStruxure™ Motor Control Configurator
Configuration link: **My Configuration**

Your configuration ID: **49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c**

Motor Starter parameters selected

Technology: Direct Start
Standard: IEC

Supply Voltage: 440 V V
Motor Power: 250 kW
Motor efficiency class: IE4
Breaker

With trip unit: yes

Breaking performance Iq: 65 kA

Contactor

Coil voltage: 200-500 V AC/DC

Contactor

Coil voltage: 200-500 V AC/DC

Contactor

Coil voltage: 200-500 V AC/DC

Thermal Relay

Bill of Material

Devices	Options	Description	Quantity:
Breaker			
C63H31M500		Circuit breaker, ComPacT NSX630H, 70kA/415VAC, 3 poles, MicroLogic 1.3M trip unit 500A	1
Contactor			
LC1G265LSEA		High power contactor, TeSys Giga, 3 pole (3NO), AC-3 <=440V 265A, advanced version, 200...500V wide band AC/DC coil	1
	LA9GRD01	Remote Wear Diagnostic Module (NC), for TeSys Giga contactor LC1G	
		Remote Wear Diagnostic (rwd) Module > Remote diagnostic module for TeSys G contact wear-NC	1
Contactor			
LC1G265LSEA		High power contactor, TeSys Giga, 3 pole (3NO), AC-3 <=440V 265A, advanced version,	1

		200…500V wide band AC/DC coil	
Contactor			
[LC1G150LSEA](LC1G15)		High power contactor, TeSys Giga, 3 pole (3NO), AC-3 <=440V 150A, advanced version, 200…500V wide band AC/DC coil	1
Thermal Relay			
[LR9G500](LR9G50)		Electronic thermal overload relay,TeSys Giga,125-500 A,class 5E-30E,push-in control connection	1

Need help ? Contact the Customer Support.

2 of 9,475

Bill of Material - My Island - 85461621-5be9-46ec-8efd-7f9b8a3fed1f - Schneider Electric

Inbox

tshingombe <iac.noreply@verified.se.com> 10:16 AM (13 minutes ago)

to
me

Dear tshingombe,

Please find your configuration created from: EcoStruxure™ Motor Control Configurator
Configuration link: **My Island**

Your configuration ID: **85461621-5be9-46ec-8efd-7f9b8a3fed1f**

TeSys island settings

Supply Voltage: 500 V
Width: 112.5 cm
Fieldbus: Modbus TCP
Orientation Horizontal
Ambiance Temperature>50°C: no
Energy Monitoring yes

Bill of Material

Number	ModuleType	Reference	Avatar	Safety Group
1	Modbus TCP	TPRBCEIP	A1	
2	Voltage Interface	TPRVM001	A1	

Bill of Material - My Configuration - 4130bce9-de32-43a8-9b26-428cf8cdb602 - Schneider Electric

Inbox

No reply <iac.noreply@verified.se.com> 10:23 AM (7 minutes ago)

to
me

Dear Tshingombe fiston,

Please find your configuration My Configuration created with the Modicon

PLC Configurator application.

Your configuration ID: **4130bce9-de32-43a8-9b26-428cf8cdb602**

Bill of Material

Bom level	Position	Reference	Description	Quantity
My Configuration	1	LMC100CAA10000	Motion controller LMC100 0 axis - Acc kit - Basic	1
My Configuration	2	ABL8WPS24200	Regulated switch power supply, modicon power supply, 3 phases, 380 to 500V AC, 24V, 20A	1
My Configuration	3	ABL8BBU24200	battery control module, phaseo ABL7 ABL8, 24 to 28.8V DC, phaseo ABL7 ABL8, 24V, 20A, for regulated SMPS	1
My Configuration	4	ABL8BBU24400	battery control module, phaseo ABL7 ABL8, 24 to 28.8V DC, phaseo ABL7 ABL8, 24V, 40A, for regulated SMPS	1
My Configuration	5	ABL8RED24400	redundancy module, phaseo ABL7 ABL8, 40A, for regulated SMPS	1
My Configuration	6	ABL8PRP24100	electronic protection module, phaseo ABL7 ABL8, 28 to 28.8V DC, 10A, for regulated SMPS, 2 pole breaking by channel	1
My Configuration	7	ABL8BUF24400	buffer module, phaseo ABL7 ABL8, 24 to 28.8V DC, 40A, for power supply	1

...

[Message clipped] View entire message

No reply <iac.noreply@verified.se.com> 10:23 AM (7 minutes ago)

to
me

...

[Message clipped] View entire message

CERTIFICATE OF COMPLIANCE

Certificate Number

UL-US-2125224-0

Report Reference

E164353-20210423

Date

18-May-2021

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Issued to:

Schneider Electric Industries S A, DBA Telemecanique

8001 Knightdale Blvd Knightdale, NC

United States 27545

This is to certify that

representative samples of

NKCR - Auxiliary Devices

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision

Date: 2019-05-06, UL 60947-5-1, 3rd Ed., Issue Date:

2014-03-28

Additional Information:

See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up

Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's

Follow-Up Services.

Look for the UL Certification Mark on the product.

CERTIFICATE OF COMPLIANCE

Certificate Number

UL-US-2125224-0

Report Reference

E164353-20210423

Date

18-May-2021

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

This is to certify that representative samples of the product as specified on this certificate were tested according

to the current UL requirements

Model

Category Description

LA9GRD, followed by 10 or 01

Auxiliary Devices

CERTIFICATE OF COMPLIANCE

Certificate Number

UL-CA-2120715-0

Report Reference

E164353-20210423

Date

18-May-2021

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Issued to:

Schneider Electric Industries S A, DBA Telemecanique

8001 Knightdale Blvd Knightdale, NC

United States 27545

This is to certify that

representative samples of

NKCR7 - Auxiliary Devices Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety:

CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07-

31, CSA C22.2 NO. 60947-5-1-14, 1st Ed., Issue Date:

2014-03-01

Additional Information:

See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up

Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL’s

Follow-Up Services.

Look for the UL Certification Mark on the product.

CERTIFICATE OF COMPLIANCE

Certificate Number

UL-CA-2120715-0

Report Reference

E164353-20210423

Date

18-May-2021

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

This is to certify that representative samples of the product as specified on this certificate were tested according

to the current UL requirements

Model

Category Description

LA9GRD, followed by 10 or 01

Auxiliary Devices

Configuration Name :	My Configuration
Configuration ID :	4130bce9-de32-43a8-9b26-428cf8cdb602
Date :	Wed Mar 05 08:20:59 UTC 2025

Bom Level	No.	Reference	Descr
Controller + I/O	1	LMC100CAA10000	Motio
Controller + I/O	2	ABL8WPS24200	Regul phase
Controller + I/O	3	ABL8BBU24200	batter DC, p
Controller + I/O	4	ABL8BBU24400	batter DC, p
Controller + I/O	5	ABL8RED24400	redun SMPS
Controller + I/O	6	ABL8PRP24100	electr 28.8V chann
Controller + I/O	7	ABL8BUF24400	buffer power

Configuration Name:
Configuration ID

Date:

Please refer to “Installation” section of Installation Guide 8536IB1902EN for proper installation of your configuration

#	Module Type
1	Modbus TCP
2	Voltage Interface

Configuration Name:
Configuration ID
Date:

Main product Part Number
Breaker C63H31M500

Contactor	LC1G265LSEA
Contactor	LC1G265LSEA
Contactor	LC1G150LSEA
Thermal Relay	LR9G500

Product data sheet

Characteristics

C63H31M500

Circuit breaker ComPacT NSX630H. 70kA at 415VAC. MicroLogic 1.3 M trip unit 500A. 3 poles 3d

Price*: 22781.76 ZAR

05-Mar-2025

1

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.
This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.
It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof.
Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein. *Prices are indicative

Main

Range
ComPacT new generation
Product name
ComPacT NSX new generation

Device short name
NSX630H
Product or component type
Circuit breaker
Device application
Motor protection
Poles description
3P
Protected poles description
3D
[In] rated current
500 A at 65 °C
[Ue] rated operational voltage
690 V AC 50/60 Hz
Network type
AC
Network frequency
50/60 Hz
Suitability for isolation
Yes conforming to EN/IEC 60947-2
Utilisation category
Category A
Breaking capacity
100 KA Icu at 220/240 V AC 50/60 Hz conforming to IEC 60947-2
70 KA Icu at 380/415 V AC 50/60 Hz conforming to IEC 60947-2
65 KA Icu at 440 V AC 50/60 Hz conforming to IEC 60947-2
50 KA Icu at 500 V AC 50/60 Hz conforming to IEC 60947-2
35 KA Icu at 525 V AC 50/60 Hz conforming to IEC 60947-2
20 KA Icu at 660/690 V AC 50/60 Hz conforming to IEC 60947-2
85 KA Icu at 240 V AC 50/60 Hz conforming to UL 60947-4-1
65 KA Icu at 480 V AC 50/60 Hz conforming to UL 60947-4-1
20 KA Icu at 600 V AC 50/60 Hz conforming to UL 60947-4-1
Breaking capacity code
H 70 kA 415 V AC
Trip unit name
MicroLogic 1.3 M
Trip unit technology
Electronic
Trip unit protection functions
SI
Control type
Toggle
Mounting mode
Fixed

Complementary

[Ui] rated insulation voltage
800 V AC 50/60 Hz
[Uimp] rated impulse withstand voltage
8 KV
[Ics] rated service breaking capacity
100 KA at 220/240 V AC 50/60 Hz conforming to IEC 60947-2
70 KA at 380/415 V AC 50/60 Hz conforming to IEC 60947-2
65 KA at 440 V AC 50/60 Hz conforming to IEC 60947-2
50 KA at 500 V AC 50/60 Hz conforming to IEC 60947-2
11 KA at 525 V AC 50/60 Hz conforming to IEC 60947-2
10 KA at 660/690 V AC 50/60 Hz conforming to IEC 60947-2
Mechanical durability
15000 Cycles
Electrical durability
8000 Cycles at 440 V In/2
4000 Cycles at 440 V In
6000 Cycles at 690 V In/2
2000 Cycles at 690 V In
Power dissipation per pole
25 W
Mounting support
Backplate
Mounting position
Horizontal and vertical

Flat on the back
Upside connection
Front
Downside connection
Front
Connection pitch
45 Mm
Protection type
S : for short time short-circuit protection
I : for instantaneous short-circuit protection
Trip unit rating
500 A at 65 °C
Short-time pick-up adjustment type Isd
Adjustable 9 settings
2[Isd] short-time pick-up adjustment range
2500 A
3000 A
3500 A
4000 A
4500 A
5000 A
5500 A
6000 A
6500 A
Short-time delay adjustment type
Fixed
Instantaneous pick-up adjustment type Ii
Fixed
Instantaneous pick-up adjustment range
6500 A
Earth-leakage protection
Without
Zone selective interlocking ZSI
Without
Number of slots
6 slot(s)
Local signalling
Flashing LED (green) for ready to operate
Width
140 Mm
Height
255 Mm
Depth
110 Mm
Net weight
6.2 Kg

Environment

Standards
EN/IEC 60947-2
Overvoltage category
Class II
Electrical shock protection class
Class II
Pollution degree
3 conforming to IEC 60664-1
IP degree of protection
IP40 conforming to IEC 60529
IK degree of protection
IK07 conforming to IEC 62262
Ambient air temperature for operation
-25...70 °C
Ambient air temperature for storage
-50...85 °C
Relative humidity
0...95 %
Operating altitude
0...2000 m without derating
2000 m...5000 m with derating

Packing Units

Unit Type of Package 1
PCE
Number of Units in Package 1
1
Package 1 Height
15.000 Cm
Package 1 Width
16.000 Cm
Package 1 Length
29.000 Cm
Package 1 Weight
5.764 Kg
Unit Type of Package 2
S04
Number of Units in Package 2
2
Package 2 Height
30.000 Cm
Package 2 Width
40.000 Cm
Package 2 Length
60.000 Cm
Package 2 Weight
12.178 Kg
Unit Type of Package 3
P12
Number of Units in Package 3
8
Package 3 Height
45.000 Cm
Package 3 Width
80.000 Cm
Package 3 Length
120.000 Cm
Package 3 Weight
60.712 Kg

3Offer Sustainability

Packaging without single use plastic
No
Packaging made with recycled cardboard
Yes
SCIP Number
25ca3248-85d0-423a-a9d8-5b7aeb52e7b6
China RoHS Regulation
China RoHS Declaration
Environmental Disclosure
Product Environmental Profile
Circularity Profile
End Of Life Information
WEEE
The product must be disposed on European Union markets following speci
fic waste collection and never end up in rubbish bins
PVC free
Yes
Halogen content performance
Product contains halogen above thresholds
Silicon free
No
Take-back
No
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)
453

Product Life Status :

Commercialised



4 *Product Selector Tool*

This tool is designed to assist you through the product selection process.

Try our Product Selector

Content Training Installed Base Programs

Overview Support Support Cases Detail

Case #114869607

Open

Created date: 05 Mar 2025, 10:47

Contact: Tshingombe fiston

Account: Tshingombe engineering (Pretoria, ZA)

Resolving agent: Assignment in progress

Request subject: Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::]

Request details:

On Wed, Feb 5, 2025 at 9:17 AM tshingombe fiston <tshingombefiston@gmail.com> wrote:

On Tue, Feb 13, 2024 at 10:37 AM Mail2Case -ZA QUOTES <za-quotes@schneider-electric.com> wrote:

Dear Tshingombe fiston,

Thank you for contacting Schneider Electric Customer Care Center.

Kindly find below our reply to your request.

Case Reference # : 107331069

Date Created: 2024/02/13

Subject: Training Inquiry

Answer:

Kindly note that for training inquiries please contact Schneider Academy ZA

Contact person - Dilaine Subban

email: dilaine.subban@se.com / za-training@se.com

Tel: 0110461900/02

To view all contents of courses, pricing, scheduled dates (virtual Instructor-led or classroom training) and to make a booking, please click on the training page link: https://www.se.com/za/en/work/services/training/

In case of any further assistance, please do not hesitate to contact us.

Tel:
086 130 0222 (South Africa only)
+27 11 230 5880 (All countries)

E-Mails:
Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com
Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com
Returns: za-returns@schneider-electric.com

Kind Regards,

Mbali Mbatha

South Africa Customer Care Center

Question:

Training Inquiry

https://schneider-electric.app.box.com/web_links/11516449/shared/b03npplgr3j3kb8cudp2b8bj815n9hos

thread::WxL1v0u7caieatIXKAsfgj4::

Conversation feed

5 Attachments

Comment
*

Type your comment here.

Upload File

Upload a file with a size limit up to 30 MB.

Drop file or browse

f0a63c8c-67e7-4c5d-982c-6f87015d3ebf.pdf.pdf

Posted by Agent, System

05 Mar 2025, 10:47Size: 220 KB

eaton schenmeder job Update Around Your Application.docx.docx

Posted by Agent, System

05 Mar 2025, 10:47Size: 129 KB

My Configuration-4130bce9-de32-43a8-9b26-428cf8cdb602.xls.xls

Posted by Agent, System

05 Mar 2025, 10:47Size: 30 KB

85461621-5be9-46ec-8efd-7f9b8a3fed1f_report_en-ZA.xls.xls

Posted by Agent, System

05 Mar 2025, 10:47Size: 17 KB

49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c_report_en-ZA.xls.xls

Posted by Agent, System

05 Mar 2025, 10:47Size: 31 KB

-
-
-
-
-
-

- mySchneider Terms of Use
-
- Privacy Policy
- Cookie Notice
- Change your cookie settings

©2025, Schneider Electric

mySchneider

Curriculum

EcoXpert Smart Grid, Technical, Intermediate: Geographic Information Systems Path

Last Updated

02/12/2025

Duration

29 hours, 18 minutes

Details

This series of courses will prepare you for obtaining the level of Intermediate level for ArcFM Solution suite of software products.

Please consider reviewing the materials and taking the Esri foundation courses for your role (Consultant, Solution Architect, etc) outlined on the Story Map hub here:

https://storymaps.arcgis.com/stories/4181630be0704c5e8479eb84da4f2fe5

Course Code: DGEPRDCS0001000

Contents

14 Trainings

Section 1: Overview of the ArcFM XI Series Solution

- Online ClassOverview of the ArcFM XI Series Applications and Solutions
- Online ClassArcFM Designer XI Whirlwind Tour
- Online ClassArcFM Editor XI Whirlwind Tour
- Online ClassArcFM Fiber XI Whirlwind Tour

Section 2: Core Material

- Online ClassWorking with ArcFM Editor XI
- TestWorking with ArcFM Editor XI (test)

Section 3: Specialty concentration

- Online ClassWorking with Designer XI
- TestWorking with Designer XI (test)
- Online ClassWorking with Mobile XI
- TestWorking with ArcFM Mobile XI (test)
- Online ClassWorking with Fiber Manager XI
- TestWorking with ArcFM Fiber Manager XI (test)
- Online ClassWorking with ArcFM Web
- TestWorking with ArcFM Web (test)

EcoXpert Smart Grid, Technical, Intermediate: Geographic Information Systems Path

Launch Curriculum Player

Move to Archived Transcript

Training Details

Training Type: Curriculum

Provider: Digital Grid

Version: 15.0 Structure History

Training Hours: 29 Hours 18 Minutes

Description: This series of courses will prepare you for obtaining the level of Intermediate level for ArcFM Solution suite of software products.

Please consider reviewing the materials and taking the Esri foundation courses for your role (Consultant, Solution Architect, etc) outlined on the Story Map hub here:

https://storymaps.arcgis.com/stories/4181630be0704c5e8479eb84da4f2fe5

Course Code: DGEPRDCS0001000

Status: In Progress

Training Purpose:

Due Date: None

Expiration Date:

Curriculum

Select a training view (Selection will cause the page to refresh) ◉ All Training ○ Activated Training ○ Not Activated Training Show Expired Training

Title (Click on to see course description)	Type	Due Date	Excused	Required	Status	Options	Details

Section 1: Overview of the ArcFM XI Series Solution (Min. required: 0)	Section					None
Overview of the ArcFM XI Series Applications and Solutions (Min. required: 0)	Section					None
Overview of the ArcFM XI Series Applications and Solutions	Online Class	None	No	Registered	Launch	
ArcFM XI Series Applications Whirlwind Tour (Min. required: 0)	Section					None
ArcFM Designer XI Whirlwind Tour	Online Class	None	No	Registered	Launch	
ArcFM Editor XI Whirlwind Tour	Online Class	None	No	Not Activated	Activate	None
ArcFM Fiber XI Whirlwind Tour	Online Class	None	No	Not Activated	Activate	None
Section 2: Core Material (Min. required: 2)	Section					None
Working with ArcFM Editor XI	Online Class	None	No	In Progress	Launch	
Working with ArcFM Editor XI (test)	Test	None	No	Not Activated	Activate	None
Section 3: Specialty concentration (Min. required: 0)	Section					None
Working with Designer XI	Online Class	None	No	Not Activated	Activate	None
Working with Designer XI (test)	Test	None	No	Not Activated	Activate	None
Working with Mobile XI	Online Class	None	No	Not Activated	Activate	None
Working with ArcFM	Test	Non	No	Not	Activate	

Mobile XI (test)		e		Activated		None
Working with Fiber Manager XI	Online Class	None	No	Not Activated	Activate	None
Working with ArcFM Fiber Manager XI (test)	Test	None	No	Not Activated	Activate	None
Working with ArcFM Web	Online Class	None	No	Not Activated	Activate	None
Working with ArcFM Web (test)	Test	None	No	Not Activated	Activate	None

Assignment and Version History

Registration Number	Latest Registration?	Delivery	Transcript Delivery Method	Version	Effective Date	Start Date	End Date	Due Date	Status	Options
1	Yes	Assigned by Sagar singh on 2/12/2025 7:17:05 AM	Self-Requested	15.0	2/12/2025	None	None	None	In Progress	
1	No	Assigned by Sagar singh on 10/29/2024 6:54:23 PM	Self-Requested	14.0	10/29/2024	None	None	None	In Progress	
1	No	Assigned by Sagar singh on 10/11/2024 1:48:47 PM	Self-Requested	13.0	10/11/2024	None	None	None	In Progress	

Registration Number	Latest Registration?	Delivery	Transcript Delivery Method	Version	Effective Date	Start Date	End Date	Due Date	Status	Options
1	No	Assigned by Apoorva Raj Saxena on 10/11/2024 1:43:10 PM	Self-Requested	12.0	10/11/2024	None	None	None	In Progress	
1	No	Assigned by Sagar singh on 9/10/2024 10:57:23 AM	Self-Requested	11.0	9/10/2024	None	None	None	In Progress	
1	No	Assigned by Sagar singh on 9/4/2024 4:51:15 PM	Self-Requested	10.0	9/4/2024	None	None	None	In Progress	
1	No	Assigned by Sagar singh on 8/30/2024 7:03:21 PM	Self-Requested	9.0	8/30/2024	None	None	None	In Progress	
1	No	Requested by Tshingombe fiston on 7/5/2024 4:15:07 PM	Self-Requested	8.0	7/5/2024	None	None	None	In Progress	
1	No	Requested by Tshingombe fiston on 6/19/2024	Self-Requested	7.0	6/19/2024	None	None	None	In Progress	

Registration Number	Latest Registration?	Delivery	Transcript Delivery Method	Version	Effective Date	Start Date	End Date	Due Date	Status	Options
		6:01:26 PM								
1	No	Requested by Tshingombe fiston on 6/18/2024 4:20:53 PM	Self-Requested	6.0	6/18/2024	None	None	None	In Progress	
1	No	Requested by Tshingombe fiston on 1/18/2024 7:41:31 PM	Self-Requested	5.0	1/18/2024	None	None	None	In Progress	
1	No	Requested by Tshingombe fiston on 1/12/2024 7:48:35 PM	Self-Requested	4.0	12/11/2023	None	None	None	In Progress	

Transcript History

- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 2/12/2025 7:17:06 AM Comments: Upgrade Register
- Upgraded to Version 15.0 by Sagar singh (ADM776410) on 2/12/2025 7:17:05 AM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 10/29/2024 6:54:23 PM Comments: Upgrade Register
- Upgraded to Version 14.0 by Sagar singh (ADM776410) on 10/29/2024

6:54:23 PM Comments: Initial Request

- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 10/11/2024 1:48:47 PM Comments: Upgrade Register
- Upgraded to Version 13.0 by Sagar singh (ADM776410) on 10/11/2024 1:48:47 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 10/11/2024 1:43:11 PM Comments: Upgrade Register
- Upgraded to Version 12.0 by Apoorva Raj Saxena (ADM723990) on 10/11/2024 1:43:10 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 9/10/2024 10:57:23 AM Comments: Upgrade Register
- Upgraded to Version 11.0 by Sagar singh (ADM776410) on 9/10/2024 10:57:23 AM Comments: We have re-versioned the curriculum as per CU_M_24_0204 (HRC3128670)
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 9/4/2024 4:51:16 PM Comments: Upgrade Register
- Upgraded to Version 10.0 by Sagar singh (ADM776410) on 9/4/2024 4:51:15 PM Comments: We have updated the curriculum structure.
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 8/30/2024 7:03:21 PM Comments: Upgrade Register
- Upgraded to Version 9.0 by Sagar singh (ADM776410) on 8/30/2024 7:03:21 PM Comments: 30/08/2024 We have made changes to the curriculum structure as per the below structure: we have added courses in the section 1,2 and 3
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 7/5/2024 4:15:07 PM Comments: Upgrade Register
- Upgraded to Version 8.0 by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 7/5/2024 4:15:07 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 6/19/2024 6:01:27 PM Comments: Upgrade Register
- Upgraded to Version 7.0 by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 6/19/2024 6:01:26 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 6/18/2024 4:20:53 PM Comments: Upgrade Register

- Upgraded to Version 6.0 by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 6/18/2024 4:20:53 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 1/18/2024 7:41:31 PM Comments: Upgrade Register
- Upgraded to Version 5.0 by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 1/18/2024 7:41:31 PM Comments: Initial Request
- Registered by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 1/12/2024 7:48:35 PM
- Requested by Tshingombe fiston (gb00cd6f-4a1d-7384-a341-6e2021419203) on 1/12/2024 7:48:35 PM Comments: Initial Request
-

Skip to main content

Show Navigation Menu

-
  - o
  - o
  - o

- o
-
-
-
-
-

Main content below

Active Training: Tshingombe fiston

Title	Type	Due Date	Score	Status
EcoXpert Smart Grid, Technical, Intermediate: Geographic Information Systems Path	Curriculum	None		In Progress
Basic Machines with PacDrive 3 [VILT] (Test)	Test	None	33	Failed
Cybersecurity für Schneider Electric Service Partner / Cybersecurity for Schneider Electric Services Partners (German)	Online Class	None	0	In Progress
EBO 2023: Engineering EasyLogic	Curriculum	None		In Progress
Service for Lexium [VILT] (Test)	Test	None	33	Failed
20 Mobile Terms You Probably Know	Curriculum	None		In Progress
Schneider Home Certification	Curriculum	None		Registered
EBO 2022: Engineering EBO	Curriculum	None		In Progress
EBO 2023: Engineering EBO	Curriculum	None		In Progress
EBO 2024: Engineering EBO	Curriculum	None		In Progress
EBO 2022: Value Based Selling	Curriculum	None		In Progress

DIN Ethernet Technical Overview	Online Class	None		In Progress
Applying OWASP 2017 Mitigations Series	Curriculum	None		In Progress
EcoStruxure Power Foundational 2.0	Online Class	None		In Progress
Fundamentals of Threat Modeling	Online Class	None		In Progress
Sustainability School for Partners Chapter 2	Curriculum	None		In Progress
Basic Machines with PacDrive 3 (Test)	Test	None	20	Failed
EcoStruxure Building Technical Training For EcoXperts 2023 - Proficient	Curriculum	None		In Progress
Introduction to EcoCare : Next Generation Services Membership	Online Class	None		Registered
Escola de Sustentabilidade para Parceiros. Capítulo 1/Sustainability School for Partners. Chapter 1 (Portuguese)	Curriculum	None		In Progress
Motion Block : Part I (Test)	Test	None	10	Failed
Transformers and motor applications in industries	Curriculum	None		In Progress
EBO 2023: Engineering Upgrade	Curriculum	None		In Progress
PowerLogic P5: Protection Engineering	Curriculum	None		In Progress
EVlink ProAC Calibration Law Compliant Basic (German)	Online Class	None		Registered
EcoStruxure Building: Graphics Editor Intermediate	Online Class	None		In Progress
Electrical Arc Flash Awareness	Online Class	None		In Progress
EcoStruxure Panel Server: Architectures around Panel Server	Online Class	None		Registered
Sustainability School for Partners Chapter 1	Curricul	Non		In

	um	e		Progress
Understanding the cash flow statement	Online Class	Non e	50	In Progress
Personal Protective Equipment Overview	Online Class	Non e		Registere d
Building Controls II: Control Sensors	Online Class	Non e		Registere d
EcoStruxure Building: Prescription - Mechanical & Control - Part 1 - HVAC Basics	Curricul um	Non e		In Progress
Masterpact M auf Masterpact MTZ - Modernisierung mit ECOFITTM/ Masterpact M to Masterpact MTZ upgrade solutions with ECOFITTM (German)	Online Class	Non e		In Progress
Be S.A.F.E. First	Online Class	Non e		In Progress
EVlink ProAC Calibration Law Compliant Basic (German)	Online Class	Non e	0	In Progress
KNX Basic Certification Blended	Curricul um	Non e		In Progress
Introduction à EcoStruxure Grid: Foundational/Introduction to EcoStruxure Grid: Foundational (French)	Online Class	Non e	0	In Progress
PowerLogic: Technical Overview	Curricul um	Non e		In Progress
Testes Altivar Technique	Curricul um	Non e		In Progress
Advanced Power Metering: PowerLogic ION9000 Technical Overview: Part 1	Online Class	Non e		In Progress
Robotics (Test)	Test	Non e	44	Failed
Social Selling (Season 1) - SEIQ	Material	Non e		In Progress
Understanding Software Licensing	Online Class	Non e	40	In Progress
Drives: Fundamentals of Kinematics: Part 2 of 2	Video	Non e		Pending Prerequis ite

LayoutFAST: General Overview	Online Class	None		In Progress
Motion Block Basics	Online Class	None		In Progress
Material Working Machinery: Discover the Machines	Online Class	None	20	In Progress
Drives: Fundamentals of Kinematics: Calculation Downhill Conveyor	Video	None		Registered
Field Services Operations : BCEC BCWC TurboCor for FSR Test	Test	None	28	In Progress
Motor Starters with Contactors	Curriculum	None		In Progress
Discover the Hotels Market	Online Class	None		In Progress
Correntes de curto-circuito/Short-Circuit Currents (Portuguese)	Online Class	None	0	In Progress
EcoStruxure Building: Graphics Editor Advanced	Online Class	None		In Progress
EBO 2023: EIA 485 Electrical and Physical Characteristics	Online Class	None	0	In Progress
Active Harmonic Filter: HMI Screens (PowerLogic™ AccuSine PCSP & PCSn)	Video	None		Registered
Altivar Drives: Braking Function (Test)	Test	None	25	Failed
Escolha da área da seção transversal do cabo/Choice of Cable Cross-Section Area (Portuguese)	Online Class	None	0	In Progress
EcoStruxure Plant: Safety	Video	None		Registered
Module 1: Battery Basics	Online Class	None		In Progress
Foundations of Data Center Physical Infrastructure Management	Online Class	None	10	In Progress
Test: Physical Infrastructure Management Basics Quiz	Test	None	30	Failed

Easy Lexium 16 Servo Drives & BCH Servo Motors (English) / Servoaccionamientos Easy Lexium 16 y servomotores BCH (Spanish)	Online Class	None		In Progress
Physical Infrastructure in IT Network	Curriculum	None		Exception Requested
An Introduction to Life Sciences (Test)	Test	None	30	Failed
An Introduction to Life Sciences	Video	None		Registered
The Convergence of IT/OT: 2- The Impact of the Digital Transformation	Online Class	None	0	In Progress
Altivar Machine Professional	Curriculum	None		In Progress
Compreendendo a compatibilidade eletromagnética/Understanding Electromagnetic Compatibility (Portuguese)	Online Class	None	0	In Progress
Drives Basics: Electromagnetic Compatibility (EMC)	Online Class	None	0	In Progress
ELECTRICAL SAFETY IN THE WORKPLACE For non-electrical staff	Online Class	None		In Progress
Electronic VAR Compensation : Technical Overview – HMI Screens PowerLogic™ AccuSine EVC+)	Video	None		Registered
Notions de base sur l’électricité : électrons en mouvement / Electricity Basics: Moving Electrons (French)	Online Class	None		In Progress
Energy Server Com’X 510: Technical Overview	Online Class	None		In Progress
Drives: Fundamentals of Kinematics : Part 1 of 2	Video	None		Registered
Industrial Edge for the WWW Industry Part 1	Video	None		Registered
Industrial Management	Online Class	None		In Progress
Power Quality and Power Advisor Summary	Video	None		Registered
Regulations & Regulatory Guidance in Life Sciences	Test	Non	10	Failed

(Test)		e		
Retrofit Power Metering: PowerLogic BCPM Technical Overview	Online Class	Non e		In Progress
Power Meters: Meters Positioning Initiative #1	Video	Non e		Registere d
Power and Energy Meters	Video	Non e		Registere d
New Easy UPS On-Line Lithium-ion 1-3kVA & NMC, established Easy UPS, Easy Racks & PDUs	Video	Non e		Registere d
Surveillance et alerte de la distribution électrique /EcoStruxure Power: Electrical Distribution Monitoring & Alarming (French)	Online Class	Non e		In Progress
Introdução ao projeto de distribuição de baixa tensão/Introduction to Low Voltage Distribution Design (Portuguese)	Online Class	Non e		In Progress
Discover Motor Control: Part 2: Branch Circuit I	Online Class	Non e		In Progress
Innovation Talk: Basics of RFID Sensors for Controlling Access & Tracking:Telemecanique Sensors	Video	Non e		Registere d
IDPE Section 4: Molded Case Circuit Breakers (Test)	Test	Non e	11	Failed
Test ProDiag Breaker for Field Services Representative (FSR)	Test	Non e	67	Failed
Design Canalis with CanCAD : Project execution checklist Part 3	Online Class	Non e	20	In Progress
Design Canalis with CanCAD : Conclusion Part 7	Online Class	Non e	13	In Progress
Altivar Soft Starter: ATS22 Mounting and Cabling	Video	Non e		Registere d
Altivar Machine: ATV340: Mounting and Cabling: Part 3 of 4	Video	Non e		Pending Prerequis ite
Altivar ATV12 Mounting and Cabling: Part 1	Video	Non e		Registere d
Design Canalis with CanCAD : Launch CanCAD and introduction Part 2	Online Class	Non e	20	In Progress

Altivar Process: Mounting and Cabling: Floorstanding: Part 2 of 2	Video	None		Pending Prerequisite
Altivar Machine: ATV340: Mounting and Cabling: Part 4 of 4	Video	None		Pending Prerequisite
EcoStruxure Security Expert: ESMI Transition Post Transition, Part 4 of 4	Video	None		Registered
Introduction to Transformer Protection Basics	Online Class	None	0	In Progress
Masterpact MTZ for Services Representative (SR)	Test	None	24	Failed
EcoStruxure Security Expert: An introduction to EcoStruxure Security Expert	Video	None		Registered
EcoStruxure Security Expert: INET to Security Expert Transition (Test)	Test	None	40	Failed
EcoStruxure Security Expert: ESMI – Security Expert - transitio: Tietokannan muunnos Esmikosta Security Experttiin, Osa 3/4	Video	None		Registered
Discover High Impedance Busbar Protection	Online Class	None	0	In Progress
Discover Advanced Distance Protection	Online Class	None	0	In Progress
Introduction to Distance Protection	Online Class	None	0	In Progress
Discover Low Impedance Busbar Protection	Online Class	None	0	In Progress
Discover Basic Line Differential Protection	Online Class	None	0	In Progress
Discover the basic arc protection principles and offers	Online Class	None	0	In Progress
Discover Advanced Command and Control Features	Online Class	None	0	In Progress
Discover Basic Command and Control Features	Online Class	None	0	In Progress
EcoXpert Substation Automation, Proficient, Decentralized Architecture	Curriculum	None		In Progress

Motor Protection: Part 3: Coordination in Motor Starters	Online Class	None		In Progress
Motor Protection: Part 2: Motor Protection	Online Class	None		In Progress
Discover Basic Generator Protection	Online Class	None	0	In Progress
Discover Advanced Generator Protection	Online Class	None	0	In Progress
Deliver Switchboard Project Digitally: Episode 1	Video	None		Registered
EcoXpert Smart Grid, Technical, Intermediate: Grid Operation Solution Path	Curriculum	None		In Progress
EcoXpert Smart Grid, Sales, Proficient: Grid Operations Solution (test)	Test	None	30	Failed
Tesys T drawer wiring with Ethernet 1	Video	None		Registered
EcoStruxure Building: MP-x Power Wiring	Video	None		Registered
Discover Square D wiring devices: X series and XD series	Online Class	None	0	In Progress
EBO 2022: Advanced Engineering	Curriculum	None		In Progress
EcoStruxure Power Automation System Engineering video tutorial – Electrical Design Overview	Video	None		Registered
EcoStruxure Building: Value Based Selling 3.x	Curriculum	None		In Progress
Privacy by Design 2.0	Video	None		Registered
A Semi-Serious Internet Terminology and Slang	Curriculum	None		In Progress
Discover the Single unified experience in HVAC	Video	None		Registered
Maximize Profitability and Operations Efficiency 3/3	Video	None		Registered
Academy Virtual Training (SE South Africa)	Video	None		Registered

EBO 2023: Engineering EBO Certification (Test)	Test	None	42	Failed
EBO 2022: Installation of EcoStruxure Building Operation (Test)	Test	None	40	In Progress
Digital services & robotics in CPG packaging for Greater efficiency	Video	None		Registered
Advanced Electrical Safety	Curriculum	None		In Progress

Back Print

Scroll

Version: 17.3.0.171
Powered by Cornerstone OnDemand, Inc. ©2000-2017
All Rights Reserved. Terms - Privacy - Cookies - Feedback - Change your cookie settings

Transcript Report

Name: Tshingo

Business Unit Date Criteria Type: mbe first on PRM

Training End Date - Session and External training will b

e
fil
t
e
r
e
d
u
si
n
g
e
n
d
d
a
t
e
.
F
o
r
al
l
o
t
h
e
r
tr
ai
ni
n
g
t
y
p
e
s,
c
o
m
pl
e
ti
o
n
d
a
t
e
w
ill
b
e

StartDate: used 3/5/2025

EndDate: 3/5/2025

TrainingType: Cohort, Curriculum, Event, External Training, Li

b
r
a
r
y,
M
a
t
e
ri
al
,
O
nl
in
e
C
la
s
s,
P
o
st
in
g
,
Q
ui
c
k
C
o
u
r
s
e
,
S
e
s
si
o
n
,
T
e
st
,
O
nl
in
e
C
o
n

Training Title: tent engineering mastering

Subject(s): Business Skills Continuing Education & Certification

s
C
r
e
a
ti
v
e
F
u
n
c
ti
o
n
al
H
e
al
t
h
&
W
el
ln
e
s
s
I
n
d
u
st
r
y
S
p
e
ci
fi
c
L
e
a
d
e
r
s
hi
p
&
M
a
n
a

g
e
m
e
n
t
M
a
n
a
g
e
m
e
n
t
a
n
d
L
e
a
d
e
r
s
hi
p
O
f
fi
c
e
P
r
o
d
u
c
ti
vi
t
y
P
e
r
s
o
n
al
D
e
v
el
o

	pment Sales & Service Schneider Electric Essentials & Basics Technology
Arc	Yes

hivedTrainingInclude:	Yes
IncludeRequiredTrainingInformation:	Yes
Completed	Yes, Showo

TrainingOnly: nly mostrecentinstanceofcompletionTshinggombefistonn

ReportGeneratedBy:

ReportDate: 3/5/2025

TLE	YPE	URPOSE	ATEGORY	ROVIDER	ERSION	EGISTERED	TART DATE	ND DATE	UE DATE	RAINING HOURS	REDIT	CORE	TATUS	OMPLETIONDATE	EQUIRED	EQUIREMENTS	VERAGECOMPLETIONTIME	ERTIFICATIONBICSIEVENTID	ERTIFICATIONBICSITSVALUE	ERTIFICATIONSUCCESSTITLE	EVEL	RIORITY	OPICS
											0	0											

View: ◉ All Questions ○ Correct Questions ○ Incorrect Questions

ID	Question	Correct
170170	**What is the meaning of AxisState = 3**	Incorrect
170166	**If FB_VarioPosJerk is used in positioning mode "Relative"**	Incorrect
170160	**Which statement is valid for 'TrackingDeviationLimit" parameter of a Lexium 62 drive?**	Incorrect
170155	**If the identifcation mode of Sercos devices is set to "Topological address" ....**	Incorrect
170154	**Variables marked as "VAR PERSISTENT RETAIN" will keep their current value after a "reset cold"**	Incorrect
170149	**What parameters you get automatically changed by change of Parameter 'FeedConstant'?**	Incorrect
170144	**By Cycle Time 10ms InitModuleAction will be worked up to**	Incorrect
170141	**In 'Motor' Folder you can find parameters 'NominalSpeed' and 'MaxSpeed'. If you run FB_EndlessFeed you can run Axis with**	Incorrect
170136	**In which Library we can find 'FB_DriveEnable' ?**	Incorrect
170132	**Desired Velocity = 100U/s, GearIn = 25, GearOut = 100. With what Velocity the Motor shaft turns ?**	Incorrect
170128	**With what parameter we can reduce Torque ?**	Incorrect
170124	**Bleeder is a**	Correct
170119	**In which SERCOS Phase the electronical Type Plate from Encoder will be read out?**	Incorrect
170115	**Jerk is**	Incorrect
170111	**How to calculate maximum allowed Continous Current**	Incorrect

Training Type: Curriculum

Provider: Digital Building Academy

Version: 4.0 Structure History

ID	Question	Correct

Training Hours: 18 Hours 56 Minutes

Description: This Curriculum is intended for engineering and service personnel working with the EcoStruxure Building system and EcoStruxure Building Operation 2023 software.

- The participants will identify recommended architecture for EasyLogic range and Fieldbus levels, including how individual hardware and software components are incorporated into the system.
- The participants will learn all EasyLogic range Controllers Features and limitations for new and retrofit projects
- The participants will learn the process for bringing online EasyLogic range controllers, MP-x, RP-C, RP-IO, SP90, and EasyLogic Living sensors, in a BACnet environment, as well as the basics of implementing BACnet engineering techniques.

Note!

Recommended Pre-requisite are:
EBO 2023: Engineering Upgrade – Curriculum ID: BLDECXCS0001029 Or
EBO 2023: Engineering EBO – Curriculum ID: BLDECXCS0001030

Course Code: BLDECXCS0001022

Status: In Progress

Training Purpose:

Due Date: None

Expiratio

ID	Question	Correct
n Date:		

Curriculum

Select a training view (Selection will cause the page to refresh) ◉ All Training ○ Activated Training ○ Not Activated Training Show Expired Training

Title (Click on to see course description)	Type	Due Date	Excused	Required	Status	Options	Details
On-Line Course (Min. required: 5)	Section						None
EBO 2023: EIA 485 Electrical and Physical Characteristics	Online Class	None	No		In Progress	Launch	
EBO 2023: EIA 485 Electrical and Physical Characteristics (Test)	Test	None	No		Failed	Retake	
EBO 2023: BACnet MS/TP	Online Class	None	No		In Progress	Launch	
EBO 2023: BACnet MS/TP (Test)	Test	None	No		Not Activated	Activate	None
EasyLogic	Onlin	Non	No		Pendin	None	

ID	Question					Correct
Building Management Devices	e Class	e		g Prior Training	None	
Instructor Lead Training and Certification Test (Min. required: 2)	Section				None	
EBO 2023: Engineering EasyLogic	Event	None	No	Pending Prior Training	None	None
EBO 2023: Engineering EasyLogic Certification (Test)	Test	None	No	Pending Prior Training	None	None

(15 Results)

View: All Questions Correct Questions Incorrect Questions

ID	Question	Correct
167639	**The Firmware update tool for a Lexium ILx is:**	Incorrect
167633	**The Firmware update tool for Lexium 28 is:**	Incorrect
167627	**The Firmware update tool for Lexium 32 C,A,M is:**	Incorrect
167621	**The Firmware update tool for Lexium 32i is:**	Incorrect
167615	**The Commissioning Tool for Lexium Integrated Ilx is:**	Incorrect
167609	**The Commissioning Tool for Lexium 28 is:**	Incorrect
167603	**The Commissioning Tool for SD3-28 is:**	Incorrect
1675	**The Commissioning Tool for**	Incorrect

97	**Lexium 32 C,A,M is:**	
167591	**The Commissioning Tool for Lexium 32i is:**	Incorrect
167585	**The state of an SD3-28 is shown with the help of:**	Incorrect
167579	**The state of a Lexium 32 M,C,A is shown with the help of:**	Incorrect
167573	**The state of a Lexium ILx is shown with the help of:**	Incorrect
167567	**The state of a Lexium 28 is shown with the help of:**	Incorrect
167561	**The state of a Lexium 32i is shown with the help of:**	Incorrect
167556	**What is a State Machine ?**	Incorrect

Frequently Asked Questions (FAQs)

System Access

- In order to obtain access to the Schneider Electric Partner LMS, you must first register for a Schneider Electric Partner Portal account. Once your account is validated, you will have direct access from the Schneider Electric Partner Portal to the Partner LMS via the My Training link within the My Partnership section.

Technical Issues & Troubleshooting

When I click on the My Partnership tab within the LMS, I receive a 404 error or a blank white page. Why?

- Delete/Clear your cookies. To do this in Internet Explorer, go to Tools > Internet Options > General > Delete > Apply

- Delete/Clear your cookies. To do this in Chrome, go to the Customize and Control Tab > Settings > Advanced Settings > Clear Browsing Data & All Cookies > Done.

I launched an online training in the LMS, but it will not play. Why?

- The eLearning may only be compatible with Internet Explorer, and does not launch in Chrome or Firefox. This occurs when the eLearning has been developed with a publishing tool that is no longer compatible with the newest versions of Chrome and Firefox.

- Turn off your pop up blocker. To do this, go to Tools > Pop-up Blocker > Turn Off Pop-up Blocker**.**

- Remove any installed third party toolbars. To do this, go to Start > Control Panel > Programs > Uninstall Programs > Uninstall third party toolbar.

- Ensure Java & Flash are up-to-date

  - To install / update Flash, click the link below and go to 'Get the Latest Version' - http://www.adobe.com/support/flashplayer/downloads.html
  - To install / update Java, click the below link and go to 'Free Java Download' –**http://java.com**

I completed a course in the LMS, but it still shows as In Progress. Why?

- Remove any installed third party toolbars, as third party toolbars can cause communication interruption between the online training and the LMS. See the above steps to remove any third party toolbars.

- Specific training in the LMS may require a passed test/quiz for course completion. Please ensure that if there is a quiz/test built within the online training, or a quiz/test associated with an Instructor Lead Training, that you complete and pass with an 80% mastery score.

- For online training that plays in a separate window, do not close the LMS window that is in the background. The background window should remain open while the course is playing to ensure proper tracking.

- The LMS will time out after 30 minutes or more of inactivity. Please ensure that while viewing an online training in the LMS, that you refrain from leaving the system idle for 30 minutes or more.

The system is running slow and/or the course plays/loads slowly. Why?

- This can be due to the bandwidth at your location. Try to access the LMS at a less busy time of day.

- Schneider Electric Community
- About Fiston

Tshingombe fiston

Crewman

Online

Company :

Tshingombe engineering

engineering electrical st peace college diploma ,

4

Posts

0

Likes Received

0

Likes Given

0

Solutions

Community Badges

View All

- My Activity
- Bookmarks
- Subscriptions
- Drafts

- My Content
- Likes Given
- Latest Contributions
- Activity Feed

No Content Available

My Moderated Posts

- 0
- 0
- 0
- 0
- 0
- 0

- 0
- 10

- Understanding Our Pre-Moderation Process: Fostering a Positive Community Environment

My Photos

-
-
-
-
-

-

View all
Top Tags

- english
- scada
- SCADA software
- SCADA tutorial
- SCADA app
- Telemetry and SCADA
- ups
- apc
- battery
- smart-ups
- PowerChute
- back-ups
- turkish
- power
- shutdown
- firmware
- bug
- Indonesian
- modbus
- spacelynk
- management
- network
- software
- beeping
- edc
- NMC
- communication
- homelynk
- network_management_card
- pr

Activity Feed

- Tagged job on EcoStruxure Automation Expert / IEC 61499 Forum. 2024-10-20 04:59 AM
- Tagged Training session - 3 - MV Capacitor banks - Design rules.pptx on Metering & Power Quality. 2024-10-17 03:17 AM

Private Messages

Inbox

2025-01-30

Blandinemurat ADMIN

 Discover Schneider Electric Community’s 2024 Highlights!

Dear Community Members, Get ready to dive into Schneider Electric Community’s exhilarating 2024 journey! 2024 Highlights 360k Monthly Visitors: Double the engagement from 2023! 4.7M Answers Delivered: A treasure trove of knowledge at your fingertips. 37k New Members: Join a...

2025-01-30

Blandinemurat ADMIN

 Discover Schneider Electric Community’s 2024 Highlights!

Dear Community Members, Get ready to dive into Schneider Electric Community’s exhilarating 2024 journey! 2024 Highlights 360k Monthly Visitors: Double the engagement from 2023! 4.7M Answers Delivered: A treasure trove of knowledge at your fingertips. 37k New Members: Join a...

2024-10-21

Vartika

Your post - 'technology bank', has been rejected by the moderator.

Your post - 'technology bank', has been rejected by the moderator. Click here to view the post.

2024-10-21

Vartika

Your post - 'job', has been rejected by the moderator.

Your post - 'job', has been rejected by the moderator. Click here to view the post.

2024-09-27

ZeeZee97 ADMIN

Ask Me About Series: EcoStruxure IT Webinar

Dear Community Members, Join us for Schneider Electric Community – Ask Me About webinar on Tuesday, October 1st, at 10 :00 a.m. CET & 5 :00 p.m. CET and discover the future of EcoStruxure IT. In this webinar, you'll have the opportunity to : • Dive into the latest EcoStruxure IT relea...

2024-04-23

Anonymous user

Your post - 'engineering education technologie', has been rejected by the moderator.

Your post - 'engineering education technologie', has been rejected by the moderator. Click here to view the post.

Blandinemurat ADMIN to Fiston

2025-01-30 07:05 AM

Discover Schneider Electric Community’s 2024 Highlights!

Dear Community Members,

Get ready to dive into Schneider Electric Community’s exhilarating 2024 journey!

2024 Highlights

- **360k Monthly Visitors**: Double the engagement from 2023!
- **4.7M Answers Delivered**: A treasure trove of knowledge at your fingertips.
- **37k New Members**: Join a dynamic and growing community.

What’s New?

We revamped the Community for an even better experience:

- Seamless navigation from mySchneider
- Redesigned landing pages with 15-20% speed boost
- Four new forums to expand our support

Curious for more? Click here to explore all the exciting updates and improvements we’ve made.

Here’s to an even brighter 2025!

Thank you for being a valuable member of the Schneider Electric Community.

Regards,

Schneider Electric Community Team.

Fiston

2025-03-05

good like

Preview

Message Body

Go to mySchneider

Translate to:

Please select

Help

Notifications

2

Fiston

Community

- Forums
  - By Subscribe
    - By Topic
  - EcoStruxure Building
    - EcoStruxure SEAL Forum
    - Intelligent Devices Forum
    - SmartConnector Forum
    - SpaceLogic C-Bus Forum
    - SpaceLogic KNX Forum

EcoStruxure Power & Grid

- EcoStruxure Asset Advisor
- EcoStruxure Energy Hub
- Gateways and Energy Servers
- Metering & Power Quality
- Protection & Control

APC UPS, Critical Power, Cooling and Racks

- APC UPS Data Center & Enterprise Solutions Forum
- APC UPS for Home and Office Forum

EcoStruxure IT

- EcoStruxure IT Design CFD
- EcoStruxure IT forum

Remote Operations

- EcoStruxure Geo SCADA Expert Forum
- Remote Operations Forum

Industrial Automation

- AVEVA Plant SCADA Forum
- EcoStruxure Automation Expert / IEC 61499 Forum
- Fabrika ve Makina Otomasyonu Çözümleri
- Industry Automation and Control Forum
- Korea Industrial Automation Forum
- Machine Automation Forum
- Modicon PAC Forum
- Motion Control Forum
- PLC Club Indonesia
- Pushbuttons, Switches, Legends, Control stations Customization Forum
- Solutions for Motor Management

Schneider Electric Wiser

- Schneider Electric Wiser Forum

Power Distribution IEC

- Comunidade de Soluções Elétricas
- Expert on Demand for Standards & Regulations
- Paneelbouw & Energie Distributie
- Power Distribution and Digital Support

Power Distribution NEMA

- Power Monitoring and Energy Automation NAM

Energy & Sustainability Services

- EDC Forum
- Energy Efficiency and Sustainability Data Forum

Support

- Ask the Community

Industrial Automation System Integrator Segment Community

- Alliance Partner Program System Integrator

Extended Reality

- EcoStruxure XR Operator Advisor Forum
  - Knowledge Center
    - o
    - o
    - o
    - o
    - o
    - o
    - o
  - Events & Webinars
    - Ideas
    - Blogs

Geo SCADA Knowledge Base

Access vast amounts of technical know-how and pro tips from our community of Geo SCADA experts.

- Schneider Electric Community

- Knowledge Center
- Geo SCADA Knowledge Base

- database 32
- Web Server and Client 31
- WebX 19
- Request Form 18
- Lists, Events & Alarms 16
- ViewX 15
- Application Programming 12
- Setup 12
- Telemetry 8
- Events & Alarms 7

- Previous
- Next

Related Products

Schneider Electric

EcoStruxure™ Geo SCADA Expert

684

Top Tags

- SCADA Innovation
- english
- scada
- SCADA app
- SCADA software
- SCADA tutorial
- Telemetry and SCADA
- Because I have been una...
- Configuring a MOXA Term...
- downloads
- processed historic

View All

Related Tags

- SCADA Innovation
- english
- scada
- SCADA app
- SCADA software
- SCADA tutorial
- Telemetry and SCADA
- Because I have been una…
- Configuring a MOXA Term…
- downloads
- processed historic

View All

Invite a Colleague

Found this content useful? Share it with a Colleague!

Geo SCADA Knowledge Base

Featured Posts

2021-06-09

Resource Center Home

Welcome to the Knowledge Base EcoStruxure Geo SCADA Expert The Knowledge Base is your Resource Center for everything Geo SCADA Expert; for New Relea...
30551 4 0 Read more

2021-06-09

Microsoft Update Testing

Home It is important to apply Microsoft Windows updates to keep systems secure. Occasionally there will be incompatibility issues noted here. Please... **19084 4 0**
Read more



Posted by: sbeadle

2024-04-29

OPC UA - Driver and Server

Home This page lists related pages for Geo SCADA\'s OPC UA Driver and OPC UA Server. The most signifi...

1193 0 0



Posted by: AdamWoodland RETIRED

2024-04-29

Requirements for Generating a Valid OPC UA Server Certificate

Go: Home Back Overview Generation of a valid server certificate for an OPC UA server is a very simil...

1283 0 0



Posted by: AdamWoodland RETIRED

2024-03-25

Load Events Using LoadRecord and LoadRecords

Home Back Overview Event data can be loaded into the Geo SCADA historian using some database methods...

565 0 0



Posted by: sbeadle

2024-02-13

Geo SCADA Embedded Component Licenses

Home Embedded Component License Declarations Geo SCADA embeds various software components, and the l...

961 0 0



Posted by: sbeadle

2024-02-13

Geo SCADA 2023 Known Issues

Home Back Please read the information below prior to installing Geo SCADA Expert 2023 for important ...

1811 0 0



Posted by: sbeadle

2024-02-13

Geo SCADA 2023 Upgrade Notes

Home Back Upgrading from Previous ClearSCADA and Geo SCADA Versions Legacy WebX may continue to be u...

1047 0 0



Posted by: sbeadle

2024-02-13

Geo SCADA 2023 Upgrade Strategy

Home Back IntroductionPreparing to Upgrade Geo SCADA ExpertDatabase Version EmulationUpgrade a Lone ...

1333 3 0



Posted by: sbeadle

2024-02-13

Geo SCADA 2023 Operating System Support

Home Back It is strongly recommended that systems running on server hardware need to use the Windows...

927 0 0

Posted by: sbeadle

2024-02-13

Geo SCADA Expert 2023

Home Schneider Electric, Remote Operations is proud to announce the release of EcoStruxure Geo SCADA...

3607 2 0



Posted by: sbeadle

2023-01-09

Geo SCADA Expert 2022

Home Back Schneider Electric, Remote Operations is proud to announce the release of EcoStruxure Geo ...

5229 0 0



Posted by: sbeadle

2023-01-09

Geo SCADA 2022 Operating System Support

Home Back It is strongly recommended that systems running on server hardware need to use the Windows...

2944 1 0

1234560616263Next

Forums

- APC UPS Data Center Backup Solutions
- EcoStruxure IT
- EcoStruxure Geo SCADA Expert

- Metering & Power Quality
- Schneider Electric Wiser

Knowledge Center

Events & webinars

Ideas

Blogs

Get Started

- Ask the Community
- Community Guidelines
- Community User Guide
- How-To & Best Practice
- Experts Leaderboard
- Contact Support

Terms & Conditions Privacy Notice Change your cookie settings © 2025 Schneider Electric

6
5

FedericoM

4
6

Bastian_Schmitz

1
7

LeTomas

View All

Related Topics

- **Outlets controlled by master**
- **Switch/Blind Master MTN6705-0008 pulse output**
- **M172 - Modbus Master**
- **M172 Modbus serial master**
- **Configuring apc master switch network power controller**

Invite a Colleague

Found this content useful? Share it with a Colleague!

Back to Machine Automation Forum

Fiston

Crewman

Posted: 2025-03-05 01:50 AM

0

0

master

career design master

tshingombe

Attachments

eaton schenmeder job Update Around Your Application.docx

isc tshingombe exam ims,, Access Control and Identity Management.docx

- Labels:
- Digital
- Packaging

- Tags:
- english
- machine

Add tags

Schneider Electric <feedback@schneider-electric.talent-feedback.org>

Wed, Feb 19, 10:03 AM

Unsubscribe

to
me

Images in this message are hidden.

This message might be suspicious or spam.

Hello Tshingombe,

Recently, you applied and were considered for a position with Schneider Electric. While the outcome has not resulted in an offer of employment, we would appreciate your time in answering one final question which will help us understand your lasting impression of Schneider Electric. Our goal is to treat all candidates with fairness and respect and your lasting impression helps us understand if we have achieved our goal.

Pulse - One Question Survey

Thank you. We look forward to hearing from you!

**Please note that all feedback is confidential and is not associated with any application. Any feedback gathered will not impact any potential employment with Schneider Electric.*

This email is being sent from an unmonitored email address.
Schneider Electric can be reached at the following: 800 Federal Street North Andover, MA 01810
https://www.se.com/us/en/ / (978) 975-9600
Survale sends surveys on behalf of Schneider Electric at their request and has no involvement with employment decisions.
We can be reached at contactus@survale.com.

To unsubscribe click here

Powered by Survale Inc.

Product Selector Tool

This tool is designed to assist you through the product selection process.

Try our Product Selector

Content Training Installed Base Programs

Overview Support Support Cases Detail

Case #114869607

Open

Created date: 05 Mar 2025, 10:47

Contact: Tshingombe fiston

Account: Tshingombe engineering (Pretoria, ZA)

Resolving agent: Mbali

Request subject: Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::]

Request details:

On Wed, Feb 5, 2025 at 9:17 AM tshingombe fiston <tshingombefiston@gmail.com> wrote:

On Tue, Feb 13, 2024 at 10:37 AM Mail2Case -ZA QUOTES <za-quotes@schneider-electric.com> wrote:

Dear Tshingombe fiston,

Thank you for contacting Schneider Electric Customer Care Center.

Kindly find below our reply to your request.

Case Reference # : 107331069

Date Created: 2024/02/13

Subject: Training Inquiry

Answer:

Kindly note that for training inquiries please contact Schneider Academy ZA

Contact person - Dilaine Subban

email: dilaine.subban@se.com / za-training@se.com

Tel: 0110461900/02

To view all contents of courses, pricing, scheduled dates (virtual Instructor-led or classroom training) and to make a booking, please click on the training page link: https://www.se.com/za/en/work/services/training/

In case of any further assistance, please do not hesitate to contact us.

Tel:
086 130 0222 (South Africa only)
+27 11 230 5880 (All countries)

E-Mails:
Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com
Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com
Returns: za-returns@schneider-electric.com

Kind Regards,

Mbali Mbatha

South Africa Customer Care Center

Question:

Training Inquiry

https://schneider-electric.app.box.com/web_links/11516449/shared/b03npplgr3j3kb8cudp2b8bj815n9hos

thread::WxL1v0u7caieatIXKAsfgj4::

Conversation feed

3 Comments and **20** Attachments

Comment
*

Type your comment here.

Upload File

Upload a file with a size limit up to 30 MB.

Drop file or browse

good like hi

Posted by Customer, Tshingombefiston

05 Mar 2025, 12:54View Details

isc tshingombe exam ims,, Access Control and Identity Management.docx

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 1104 KB

My Configuration-4130bce9-de32-43a8-9b26-428cf8cdb602.xls

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 30 KB

85461621-5be9-46ec-8efd-7f9b8a3fed1f_report_en-ZA.xls

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 17 KB

49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c_report_en-ZA.xls

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 31 KB

Cornerstone_Transcript_Report_11_09_28_AM.xls

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 8 KB

tshingombe tshitadi atlantic career ,, design-2.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 6098 KB

drawing curriculum AIU-1.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 6962 KB

drawing note , master energy rural component ..-2.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 4350 KB

drawing note energy rurale component .structe-2.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 3102 KB

drawing note Engineering rural note hydraulic-3.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 3455 KB

drawing note total assessment energy rural,-1.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 3988 KB

drawing note free hand .-1.pdf

Posted by Customer, Tshingombe fiston

05 Mar 2025, 12:53Size: 1802 KB

Your Request for Case Closure has been sent

Posted by Customer, Tshingombefiston

05 Mar 2025, 10:54View Details

Update Around Your Application Try our Product Selector Content Training Installed Base Programs Overview Product Configurators MCC Select your location Tshingombe fiston Variable Speed Drive EcoStruxure™ Motor Control Configurator 1. • Voltage480 V • • Motor d

Posted by Customer, Tshingombefiston

05 Mar 2025, 10:54View Details

Certificate - My Configuration.zip

Posted by Customer, Tshingombe fiston

05 Mar 2025, 10:54Size: 9603 KB

isc tshingombe exam ims,, Access Control and Identity Management.docx

Posted by Customer, Tshingombe fiston

05 Mar 2025, 10:54Size: 1104 KB

eaton schenmeder job Update Around Your Application.docx

Posted by Customer, Tshingombe fiston

05 Mar 2025, 10:54Size: 174 KB

f0a63c8c-67e7-4c5d-982c-6f87015d3ebf.pdf.pdf

Posted by Agent, System

05 Mar 2025, 10:47Size: 220 KB

eaton schenmeder job Update Around Your Application.docx.docx

Posted by Agent, System

05 Mar 2025, 10:47Size: 129 KB

1-20 of 23

- mySchneider Terms of Use
-
- Privacy Policy
- Cookie Notice
- Change your cookie settings

©2025, Schneider Electric

mySchneider

master

master design analyse case

tshingombe

Attachments

eaton schenmeder job Update Around Your Application.docx

isc tshingombe exam ims,, Access Control and Identity Management.docx

tshingombe tshitadi atlantic career ,, design-2.pdf

My Configuration-4130bce9-de32-43a8-9b26-428cf8cdb602.xls

85461621-5be9-46ec-8efd-7f9b8a3fed1f_report_en-ZA.xls

49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c_report_en-ZA.xls

- Labels:
- Digital
- Packaging

- Tags:
- english
- good like
- machine

Add tags
Loading undefined

Activity Registration

INSTRUCTOR LED COURSE

ETN_BPAU

REGISTRATION SUMMARY

To remove a selected activity from the list, click its Remove button

Timeline

- Tasks
- Learn

Total

7

Current

1

Upcoming

-

  Course Pointer

  8D Problem Solving Overview

  Status

  In Progress

  Delivery Method

  3. eLearning

e-Learning Course

Arc Flash Hazards Assessment and Protection Device Coordination Webinar

Status

In Progress

Delivery Method

3. eLearning

Instructor Led Course

Assessing Talent (LeaderX Talent Review Webinars)

Status

Registered

Delivery Method

1. Instructor-Led

e-Learning Course

Cabling Requirements in Hazardous Locations - Part II

Status

In Progress

Delivery Method

3. eLearning

e-Learning Course

Eaton's Low-Voltage Switchgear

Status

Registered

Delivery Method

3. eLearning

e-Learning Course

Power press Training Module 1 - PPE & Housekeeping

Status

In Progress

Delivery Method

3. eLearning

e-Learning Course

Production Part Approval Process - Overview

Status

In Progress

Delivery Method

3. eLearning

e-Learning Course

Switched PDUs (Technical Course)

Status

In Progress

Delivery Method

3. eLearning

-

Attachment f0a63c8c-67e7-4c5d-982c-6f87015d3ebf.pdf added.

Conversation opened. 1 unread message.

Skip to content
Using Gmail with screen readers

1 of 9,480

Case closure 114869607 - Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::]

Inbox

no-reply@alerts.se.com 1:46 PM (1 minute ago)

Unsubscribe

to
me

Dear Tshingombe fiston,

We have closed Case Reference # : 114869607
We provided the best possible solution and hope that you are satisfied with the resolution.

Resolution

Kindly note that you may visit/contact any of the Schneider Electric Distributors & Partners for an official quotation and to purchase as a non-account holder.

The link below will locate a distributor closest to you.

https://www.se.com/za/en/locate/393-distributor-locator

Please see below links for our product offer.

Product selector: https://www.se.com/za/en/work/support/product-selector/

Website - https://www.se.com/za/en/

Click here to review or re-open your case

Details
Case# : 114869607
Created date : 2025-03-05
Subject : Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::]
Description : On Wed, Feb 5, 2025 at 9:17 AM tshingombe fiston <tshingombefiston@gmail.com> wrote: On Tue, Feb 13, 2024 at 10:37 AM Mail2Case -ZA QUOTES <za-quotes@schneider-electric.com> wrote: Dear Tshingombe fiston, Thank you for contacting Schneider Electric Customer Care Center. Kindly find below our reply to your request. Case Reference # : 107331069 Date Created: 2024/02/13 Subject: Training Inquiry Answer: Kindly note that for training inquiries please contact Schneider Academy ZA Contact person - Dilaine Subban email: dilaine.subban@se.com / za-training@se.com Tel: 0110461900/02 To view all contents of courses, pricing, scheduled dates (virtual Instructor-led or classroom training) and to make a booking, please click on the training page link: https://www.se.com/za/en/work/services/training/ In case of any further assistance, please do not hesitate to contact us. Tel: · 086 130 0222 (South Africa only) · +27 11 230 5880 (All countries) E-Mails: · Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com · Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com · Returns: za-returns@schneider-electric.com Kind Regards, Mbali Mbatha South Africa Customer Care Center Question: Training Inquiry https://schneider-electric.app.box.com/web_links/11516449/shared/b03npplgr3j3kb8cudp2b8bj815n9hos thread::WxL1v0u7caieatIXKAsfgj4::

Please don't hesitate to reach out to us here, if you need additional information.

Explore the self-service tools available in mySchneider, where users can reopen cases within 5 business days from the date of closure.

With Regards,
Schneider Electric Support Team

You are receiving this email because you are registered for mySchneider. To deactivate your access and unsubscribe from this communication, update your acceptance of mySchneider Terms of Use in your mySchneider Setting & Preferences

Unsubscribe

Privacy Policy | Terms of Use

@2025 Schneider Electric, All Rights Reserved. Schneider Electric trademarks are owned by Schneider Electric or it's affiliated companies in the United States and other countries. All other trademarks are property of their respective owners

This is an auto-generated email. Please do not reply to this email.

Displaying tshingombe tshitadi atlantic career ,, design.pdf.

Schneider Electric Case # 114869607: Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::] - thread::c7PNoC1NcA2rbTTYW-ydrD4::

Inbox

M

ZAF Quotes 1:45 PM (3 minutes ago)

to
me

Dear Tshingombe fiston,

Thank you for contacting Schneider Electric Customer Care Center.

Kindly find below our reply to your request.

Case Reference # : 114869607

Date Created: 2025/03/05

Subject: Re: Schneider Electric Case # 107331069: Training Inquiry - [thread::WxL1v0u7caieatIXKAsfgj4::]

Answer:

Kindly note that you may visit/contact any of the Schneider Electric Distributors & Partners for an official quotation and to purchase as a non-account holder.

The link below will locate a distributor closest to you.

https://www.se.com/za/en/locate/393-distributor-locator

Please see below links for our product offer.

Product selector:
https://www.se.com/za/en/work/support/product-selector/

Website - https://www.se.com/za/en/

In case of any further assistance, please do not hesitate to contact us.

Tel:
086 130 0222 (South Africa only)
+27 11 230 5880 (All countries)

E-Mails:
Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com
Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com
Returns: za-returns@schneider-electric.com

Kind Regards,

Mbali Mbatha

South Africa Customer Care Center

Question:

On Wed, Feb 5, 2025 at 9:17 AM tshingombe fiston <tshingombefiston@gmail.com> wrote:

On Tue, Feb 13, 2024 at 10:37 AM Mail2Case -ZA QUOTES <za-quotes@schneider-electric.com> wrote:

Dear Tshingombe fiston,

Thank you for contacting Schneider Electric Customer Care Center.

Kindly find below our reply to your request.

Case Reference # : 107331069

Date Created: 2024/02/13

Subject: Training Inquiry

Answer:

Kindly note that for training inquiries please contact Schneider Academy ZA

Contact person - Dilaine Subban

email: dilaine.subban@se.com / za-training@se.com

Tel: 0110461900/02

To view all contents of courses, pricing, scheduled dates (virtual Instructor-led or classroom training) and to make a booking, please click on the training page link: https://www.se.com/za/en/work/services/training/

In case of any further assistance, please do not hesitate to contact us.

Tel:
086 130 0222 (South Africa only)
+27 11 230 5880 (All countries)

E-Mails:
Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com
Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com
Returns: za-returns@schneider-electric.com

Kind Regards,

Mbali Mbatha

South Africa Customer Care Center

Question:

Training Inquiry


Get mySchneider app and save time on your next request.
Access tailored services, 24/7 self-service and expert help
Available on the App Store
Google play
Download mySchneider app and register now!
Life Is On
Schneider Electric

thread::WxL1v0u7caieatIXKAsfgj4::

Get mySchneider app and save time on your next request.
Access tailored services, 24/7 self-service and expert help
Download **mySchneider app** and register now!
Life Is On Schneider Electric

---------- Original Message ----------
From: [tshingombefiston@gmail.com]
Sent: 2025/03/05 10:47 AM
To: za-quotes@schneider-electric.com; tshingombefiston@gmail.com
Subject: Re: Schneider Electric Case # 107331069: Training Inquiry -
[thread::WxL1v0u7caieatIXKAsfgj4::]

On Wed, Feb 5, 2025 at 9:17 AM tshingombe fiston <tshingombefiston@gmail.com>

wrote:

On Tue, Feb 13, 2024 at 10:37 AM Mail2Case -ZA QUOTES <za-quotes@schneider-electric.com> wrote:

Dear Tshingombe fiston,

Thank you for contacting Schneider Electric Customer Care Center.

Kindly find below our reply to your request.

Case Reference # : 107331069

Date Created: 2024/02/13

Subject: Training Inquiry

Answer:

Kindly note that for training inquiries please contact Schneider Academy ZA

Contact person - Dilaine Subban

email: dilaine.subban@se.com / za-training@se.com

Tel: 0110461900/02

To view all contents of courses, pricing, scheduled dates (virtual Instructor-led or classroom training) and to make a booking, please click on the training page link: https://www.se.com/za/en/work/services/training/

In case of any further assistance, please do not hesitate to contact us.

Tel:
- 086 130 0222 (South Africa only)
- +27 11 230 5880 (All countries)

E-Mails:
- Commercial support (For Orders-Partners only): za-ccc@schneider-electric.com
- Technical support (For Technical assistance, price and availability): za-quotes@schneider-electric.com
- Returns: za-returns@schneider-electric.com

Kind Regards,

Mbali Mbatha

South Africa Customer Care Center

Question:

Training Inquiry

Get mySchneider app and save time on your next request.
Access tailored services, 24/7 self-service and expert help
Download mySchneider app and register now!
App Store
Google play
Life Is On
Schneider Electric

thread::WxL1v0u7caieatIXKAsfgj4::

Following attachments are linked to this email:
1.eaton schenmeder job Update Around Your Application.docx
2.f0a63c8c-67e7-4c5d-982c-6f87015d3ebf.pdf
3.My Configuration-4130bce9-de32-43a8-9b26-428cf8cdb602.xls
4.85461621-5be9-46ec-8efd-7f9b8a3fed1f_report_en-ZA.xls
5.49c77cc5-cae3-4f83-97c8-ebd0fe2c2c3c_report_en-ZA.xls

thread::c7PNoC1NcA2rbTTYW-ydrD4::

Powering Business Worldwide

Stay tuned for industry insights

Dear Tshingombefiston@gmail.Com,

Thank you for expressing your interest in our upcoming report on the impact of the labor shortage in machine building. We are excited to share our findings based on a comprehensive survey of 300 machine builders and in-depth interviews with industry decision-makers.

We are currently finalizing the report to ensure it provides valuable insights and detailed analyses of the challenges faced by the industry. You will receive the report as soon as it becomes available.

Stay Tuned!